

REVISION TO 1999 STANDARD SPECIFICATIONS

SECTION 904, AFTER LINE 489, INSERT AS FOLLOWS:

Composite stockpiling of natural sand fine aggregate from multiple sources into one stockpile will be allowed provided the fine aggregates are within a range of 0.10 for the bulk specific gravity (dry) and a range of 1.0% for the absorption. The range of bulk specific gravity (dry) and absorption values shall be the difference between the highest and lowest value, respectively, of the fine aggregate sources within the stockpile. A written request for the composite stockpiling shall be made to the Materials and Tests Division.

Other sections containing specific cross references:	General Instructions to Field Employees Update Required? Y___ N___ By - Addition or Revision Frequency Manual Update Required? Y___ N___
213.02, Pg 230 SS 404.02, Pg 430 SS 404.10, Pg 433 SS 604.02, Pg 610 SS 615.02, Pg 381 702.03, Pg 437 707.02, Pg 476 708.02, Pg 484 710.02, Pg 489 722.02, Pg 552	By - Addition or Revision
Recurring Special Provisions potentially affected:	Standard Sheets potentially affected:
None	None
Motion: Mr. Second: Mr. Ayes: Nays:	Action: Passed as submitted; revised Effective - _____ Letting _____ Supplementals Withdrawn. Resubmit? _____ Received FHWA Approval? _____